

# VHIE Connectivity Work Plan

## Organization Details

**Date:** MM/DD/YY

**Organization Name:**

**Location Name(s):**

- 

**Data Contributor Type (Physical Health and/or Mental/Behavioral Health):**

**Electronic Health Record:**

**Stakeholders:** Blueprint for Health, OneCare Vermont, Vermont Chronic Care Initiative, and the Vermont Department of Health

**Live Contributing Interfaces:**

- Admission, Transfer, and Discharge (ADT)
- Continuity of Care Document (CCD)
- Immunization (VXU)

## VHIE Connectivity Criteria

- Required under 18 V.S.A. § 9352(i)(2)
- Establishes the conditions for health care organizations to connect to the Vermont Health Information Exchange (VHIE)
- Part of the State HIE Plan and annually reviewed and approved by the GMCB
- The Criteria measure progress of each organization in supporting point of care and payment and health reform program stakeholders.

	Met	Not Met
Tier 1 – Meet baseline connectivity standards	<input type="checkbox"/>	<input type="checkbox"/>
Tier 2 – Meet common data set and data quality standards for all stakeholders	<input type="checkbox"/>	<input type="checkbox"/>
Tier 3 – Meet expanded data set and data quality standards for stakeholders	<input type="checkbox"/>	<input type="checkbox"/>

## Criteria Evaluation

See [\[Filename for Clinical Data Set and Data Quality Standards Worksheet for this HCO\]](#) for data element evaluation.

## Recommendations

This section will identify changes per location that are needed to meet Tier 2. It will include the organizations plan to achieve Tier 2 or Tier 3.

# VHIE Connectivity Work Plan

## **Common Scope:**

- Example: Missing data elements will be addressed by an upgrade occurring in 6 months.

## **Location Specific Scope:**

- Example: Location #1 – needs to update their custom template to map data elements to the CCD.

*Short paragraph summarizing thoughts, efforts, needs, etc.*

## Timing

This section will detail the timing that the organization expects to complete the changes needed to meet Tier 2 or Tier 3 Connectivity Criteria.